

DISCLAIMER
 THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES1
 OS1: FMS/DSI
 OS2:
 OS3: HLDS/APS/HRLA/HNGS
 OS4:
 OS5:

OTHER SERVICES2
 OS1:
 OS2:
 OS3:
 OS4:
 OS5:

REMARKS: RUN NUMBER 1
 Hole drilled with RCB rotary cone bit and bottom hole assembly (BHA). 9 7/8 " BS
 Dedicated hole only for logging, no core taken.
 Drill pipe set at 95 mbsf and wireline operation made inside of drillpipe into open hole below this depth.
 Lower part of toolstring (MSS and HRLA) centralized using modified MCD inline centralizers.
 Upper part of toolstring (HLDS, HNGS) eccentered using HLDS caliper, as per toolsketch.
 Fluid type was sea water, as used to drill, so no barite corrections were required.
 All logs presented in measured depth below sea floor (MDBSF).
 Maximum observed temperature on the HRLA temperature was 22.6 degC.
 Original log data acquired with drill floor as the reference but later played back to sea floor depth as the primary depth reference.

REMARKS: RUN NUMBER 2

RUN 1		
SERVICE ORDER #:		
PROGRAM VERSION:	19C0-187	
FLUID LEVEL:		
LOGGED INTERVAL	START	STOP

RUN 2		
SERVICE ORDER #:		
PROGRAM VERSION:		
FLUID LEVEL:		
LOGGED INTERVAL	START	STOP




EQUIPMENT DESCRIPTION

RUN 1


SURFACE EQUIPMENT

SFT-281 1
 SFT-178 1
 GSR-U 616008
 WITM (EDTS)-A 1

DOWNHOLE EQUIPMENT

BSP	SP SPARC		40.58		40.78
LEH-QT	MDSB_EDTC		39.46		40.78
	Mud Tempe		38.39		
AH-369	CTEM		37.82		39.89
EDTC-B	Gamma Ray				39.46
EDTH-B 8303	EFTB DIAG		37.48		
EDTC-B 8317	TelStatus				
	EDTCB Ele				

RUN 2



Production String	(in)	(M)	Well Schematic	(M)	(in)	Casing String
	OD	ID		MD	MD	


Kelly Bushing Elevation
Derrick Floor Elevation

Mean Sea Level

-471

-471

-4700



4.1

Sea Floor

0

4.1

Drill Pipe

94.67

Open Hole

9.875

Total Depth

700



Company: Lamont Doherty Earth Observatory

Well: Expedition 351, Site U1438F

Input DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_019PUP	FN:30	PRODUCER	25-Jul-2014 17:37	5415.5 M	4700.0 M
---------	--------------------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_020PUP	FN:32	PRODUCER	25-Jul-2014 17:42	704.5 M	-11.0 M
BACKUP	MSS_LDEO_HRLA_LDL_020PUP	FN:33	PRODUCER	25-Jul-2014 17:42	704.5 M	-11.0 M

OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB
BSP	19C0-187		

PIP SUMMARY

Time Mark Every 60 S

	Calibrated Downhole Force (CDF) (LBF)	Dual-Coil Susceptibility (MSSLUSUS_LDEO) (PPM)	-20000 20000
Gamma Ray (GR_EDTC)	Tension (TENS)	Axial Acceleration (MSSZACC_LDEO)	

(GAPI)

100

(LBF)

0

(M/S²)

20

10000


0


Main Log

Sea Floor Depth Reference

Sea Floor

25







50

75


- Drill Pipe -











175



200




























Gamma Ray (GR_EDTC) (GAPI)	Tension (TENS) (LBF)	Axial Acceleration (MSSZACC_LDEO) (M/S2)
0 100	10000 0	0 20

Calibrated Downhole Force (CDF) (LBF)	Dual-Coil Susceptibility (MSSLUSUS_LDEO) (PPM)
3000 0	-20000 20000

Main Loo
Sea Floor Depth Reference

Parameters

DLIS Name	Description	Value	
HRLT-B: High Resolution Laterolog Array - B			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	30	DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE	
CALTEMP	HRLTB Calibration Temperature	13.133	DEGC
FREQ0	HRLT Frequency Index for Mode 0	32	
FREQ1	HRLT Frequency Index for Mode 1	128	
FREQ2	HRLT Frequency Index for Mode 2	104	
FREQ3	HRLT Frequency Index for Mode 3	86	
FREQ4	HRLT Frequency Index for Mode 4	56	
FREQ5	HRLT Frequency Index for Mode 5	44	
FREQ6	HRLT Frequency Index for Mode 6	116	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	Barite Mud Switch	NOBARITE	
KFAC_HRLT	HRLT K Factor Option	SONDE	
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW	
LOOPMOD0	HRLT Mode 0 Loop Mode	OFF	
LOOPMOD1	HRLT Mode 1 Loop Mode	OFF	
LOOPMOD2	HRLT Mode 2 Loop Mode	OFF	
LOOPMOD3	HRLT Mode 3 Loop Mode	OFF	
LOOPMOD4	HRLT Mode 4 Loop Mode	OFF	
LOOPMOD5	HRLT Mode 5 Loop Mode	OFF	
LOOPMOD6	HRLT Mode 6 Loop Mode	OFF	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
PROGINV	Inversion Selection	ON	
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO	
PROCMSO	Mechanical Standoff Fin Size	0	IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute	
PROCSPO	Sonde Position	Centered	
SHT	Surface Hole Temperature	35	DEGC
HLDS: Hostile Litho-Density Sonde			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.71	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
APS-C: Accelerator-Porosity Tool			
AASD	APS Software Version	0	
ADSO	APS Thermal and Array Detectors High Voltage Setting	1939.6	V
AFSD	APS Array Detectors Data Source Switch	Both	
AHCS	APS Far Detector High Voltage Setting	2035.3	V
AHSS	APS Holesize Correction Source	BS	
AMTY	APS Holesize Correction Switch	ON	
ANSD	APS Environmental Corrections Mud Type	WaterBaseBarite	
ASOS	APS Near Detector High Voltage Setting	1695.91	V
ATSS	APS Standoff Correction Switch	ON	
BHFL_APS	APS Temperature-Pressure-Salinity Correction Switch	OFF	
BHS	APS TNPH Borehole Fluid Type	WATER	
BHT	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	30	DEGC
BSCO_APS	APS TNPH Borehole Salinity Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
DSCO_APS	APS TNPH Density Source Correction Option	MEASURED	
FSAL	Formation Salinity	-50000	PPM
FSCO_APS	APS TNPH Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M

GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO_APS	APS TNPH Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO_APS	APS TNPH Mud Cake Correction Option	NO	
MCOR_APS	APS TNPH Mud Correction	NATU	
MWCO_APS	APS TNPH Mud Weight Correction Option	NO	
NARC	APS Near/Array Calibration Ratio	1.08307	
NFRC	APS Near/Far Calibration Ratio	0.974536	
PTCO_APS	APS TNPH Pressure/Temperature Correction Option	NO	
SHT	Surface Hole Temperature	35	DEGC
TNCO_APS	APS TNPH Computation Option	YES	
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	30	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.0015838	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	35	DEGC
TPOS	Tool Position	CENT	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	1.02794	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	1.01954	
EDTC-B: Enhanced DTS Cartridge			
BHFL	Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	30	DEGC
BSCO	Borehole Salinity Correction Option	NO	
CCCO	Casing & Cement Thickness Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
FSAL	Formation Salinity	-50000	PPM
FSCO	Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO	Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO	Mud Cake Correction Option	NO	
MCOR	Mud Correction	NATU	
MWCO	Mud Weight Correction Option	NO	
PTCO	Pressure/Temperature Correction Option	NO	
SDAT	Standoff Data Source	SOCN	
SHT	Surface Hole Temperature	35	DEGC
SOCN	Standoff Distance	0.5	IN
SOCO	Standoff Correction Option	NO	
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered	
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS	
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS	
BSP: Bridle SP			
SPNV	SP Next Value	-10	MV
System and Miscellaneous			
ALTDCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	9.875	IN
BSAL	Borehole Salinity	-50000.00	PPM
CSIZ	Current Casing Size	5.500	IN
CWEI	Casing Weight	168.00	LB/F
DFD	Drilling Fluid Density	1.03	G/C3
DO	Depth Offset for Playback	-4711.0	M
FLEV	Fluid Level	-50000.00	M

MST	Mud Sample Temperature	-50000.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
PP	Playback Processing	NORMAL	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	700	M
TDD	Total Depth - Driller	700.00	M
TDL	Total Depth - Logger	700.00	M
TWS	Temperature of Connate Water Sample	37.78	DEGC

Format: MSS_Logging Vertical Scale: 1:200 Graphics File Created: 25-Jul-2014 17:42

OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB
BSP	19C0-187		

Input DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_019PUP	FN:30	PRODUCER	25-Jul-2014 17:37	5415.5 M	4700.0 M
---------	--------------------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_020PUP	FN:32	PRODUCER	25-Jul-2014 17:42		
BACKUP	MSS_LDEO_HRLA_LDL_020PUP	FN:33	PRODUCER	25-Jul-2014 17:42		

Company: Lamont Doherty Earth Observatory Well: Expedition 351, Site U1438F

Input DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_014PUP	FN:21	PRODUCER	25-Jul-2014 16:41	5412.2 M	4663.1 M
---------	--------------------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_017PUP	FN:26	PRODUCER	25-Jul-2014 17:31	701.8 M	-47.8 M
BACKUP	MSS_LDEO_HRLA_LDL_017PUP	FN:27	PRODUCER	25-Jul-2014 17:31	701.8 M	-47.8 M


OP System Version: 19C0-187


MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB
BSP	19C0-187		




PIP SUMMARY


Time Mark Every 60 S



	Calibrated Downhole Force (CDF) (LBF)	Dual-Coil Susceptibility (MSSLSUS_LDEO)	
		-20000	20000 (PPM)
	Tension (TENS) (LBF)	Axial Acceleration (MSSZACC_LDEO)	
0	10000	0	20 (M/S2)























250


275










350
375
400













525

550









PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
HRLT-B: High Resolution Laterolog Array - B		
BHS	Borehole Status	OPEN
BHT	Bottom Hole Temperature (used in calculations)	30 DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE
CALTEMP	HRLTB Calibration Temperature	13.133 DEGC
FREQ0	HRLT Frequency Index for Mode 0	32
FREQ1	HRLT Frequency Index for Mode 1	128
FREQ2	HRLT Frequency Index for Mode 2	104
FREQ3	HRLT Frequency Index for Mode 3	86
FREQ4	HRLT Frequency Index for Mode 4	56
FREQ5	HRLT Frequency Index for Mode 5	44
FREQ6	HRLT Frequency Index for Mode 6	116
GCSE	Generalized Caliper Selection	BS
GDEV	Average Angular Deviation of Borehole from Normal	0 DEG
GGRD	Geothermal Gradient	0.018227 DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE
ISSBAR	Barite Mud Switch	NOBARITE
KFAC_HRLT	HRLT K Factor Option	SONDE
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW
LOOPMOD0	HRLT Mode 0 Loop Mode	OFF
LOOPMOD1	HRLT Mode 1 Loop Mode	OFF
LOOPMOD2	HRLT Mode 2 Loop Mode	OFF
LOOPMOD3	HRLT Mode 3 Loop Mode	OFF
LOOPMOD4	HRLT Mode 4 Loop Mode	OFF
LOOPMOD5	HRLT Mode 5 Loop Mode	OFF
LOOPMOD6	HRLT Mode 6 Loop Mode	OFF
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE
PROGINV	Inversion Selection	ON
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO
PROCMO	Mechanical Standoff Fin Size	0 IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute
PROCSPO	Sonde Position	Centered
SHT	Surface Hole Temperature	35 DEGC
HLDS: Hostile Litho-Density Sonde		
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT

CLS	CLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	DHC	Density Hole Correction	BS	
DPPM	DPPM	Density Porosity Processing Mode	HIRS	
FD	FD	Fluid Density	1	G/C3
LATC	LATC	HLDS Activation Correction	ON	
LLDL	LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	MDEN	Matrix Density	2.71	G/C3
PHVL	PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
APS-C: Accelerator-Porosity Tool				
		APS Software Version	0	
		APS Thermal and Array Detectors High Voltage Setting	1939.6	V
		APS Array Detectors Data Source Switch	Both	
		APS Far Detector High Voltage Setting	2035.3	V
		APS Holesize Correction Source	BS	
		APS Holesize Correction Switch	ON	
		APS Environmental Corrections Mud Type	WaterBaseBarite	
		APS Near Detector High Voltage Setting	1695.91	V
		APS Standoff Correction Switch	ON	
		APS Temperature-Pressure-Salinity Correction Switch	OFF	
		APS TNPH Borehole Fluid Type	WATER	
		Borehole Status	OPEN	
		Bottom Hole Temperature (used in calculations)	30	DEGC
		APS TNPH Borehole Salinity Correction Option	NO	
		Density Porosity Processing Mode	HIRS	
		APS TNPH Density Source Correction Option	MEASURED	
		Formation Salinity	-50000	PPM
		APS TNPH Formation Salinity Correction Option	NO	
		Generalized Caliper Selection	BS	
		Average Angular Deviation of Borehole from Normal	0	DEG
		Geothermal Gradient	0.018227	DC/M
		Generalized Mud Resistivity Selection	CHART_GEN 9	
		Generalized Temperature Selection	LINEAR_ESTIMATE	
		APS TNPH Hole Size Correction Option	YES	
		Barite Mud Switch	NOBARITE	
		Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
		APS TNPH Mud Cake Correction Option	NO	
		APS TNPH Mud Correction	NATU	
		APS TNPH Mud Weight Correction Option	NO	
		APS Near/Array Calibration Ratio	1.08307	
		APS Near/Far Calibration Ratio	0.974536	
		APS TNPH Pressure/Temperature Correction Option	NO	
		Surface Hole Temperature	35	DEGC
		APS TNPH Computation Option	YES	
HNCS-BA: Hostile Natural Gamma Ray Sonde				
		HNGS Detector 1 Barite Constant	1	
		HNGS Detector 2 Barite Constant	1	
		HNGS Borehole Potassium Correction Concentration	0	
		Borehole Status	OPEN	
		Bottom Hole Temperature (used in calculations)	30	DEGC
		Inner Casing Outer Diameter	0	IN
		Outer Casing Outer Diameter	0	IN
		Inner Casing Weight	0	LB/F
		Outer Casing Weight	0	LB/F
		HNGS Barite Constant Correction Flag	NONE	
		Generalized Caliper Selection	BS	
		Average Angular Deviation of Borehole from Normal	0	DEG
		Geothermal Gradient	0.018227	DC/M
		Generalized Mud Resistivity Selection	CHART_GEN 9	
		Generalized Temperature Selection	LINEAR_ESTIMATE	
		HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
		HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
		HNGS Borehole Potassium Running Average	-0.0015838	
		HNGS Alpha Filter Length	60	IN
		HNGS Apply Borehole Potassium Correction	NONE	
		Mud Weighting Material	NATU	
		HNGS Processing Enable	YES	
		Barite Mud Switch	NOBARITE	
		Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
		HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
		HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
		HNGS Standard Gamma-Ray Correction Flag	YES	
		Surface Hole Temperature	35	DEGC
		Tool Position	CENT	
		HNGS Detector 1 Variable Barite Factor Running Average	1.02794	
		HNGS Detector 2 Variable Barite Factor Running Average	1.01954	
EDTC-B: Enhanced DTS Cartridge				

BHFL	Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	30	DEGC
BSCO	Borehole Salinity Correction Option	NO	
CCCO	Casing & Cement Thickness Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
FSAL	Formation Salinity	-50000	PPM
FSCO	Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO	Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO	Mud Cake Correction Option	NO	
MCOR	Mud Correction	NATU	
MWCO	Mud Weight Correction Option	NO	
PTCO	Pressure/Temperature Correction Option	NO	
SDAT	Standoff Data Source	SOCN	
SHT	Surface Hole Temperature	35	DEGC
SOCN	Standoff Distance	0.5	IN
SOCO	Standoff Correction Option	NO	
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered	
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS	
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS	
BSP: Bridle SP			
SPNV	SP Next Value	0	MV
System and Miscellaneous			
ALTDCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	9.875	IN
BSAL	Borehole Salinity	-50000.00	PPM
CSIZ	Current Casing Size	5.500	IN
CWEI	Casing Weight	168.00	LB/F
DFD	Drilling Fluid Density	1.03	G/C3
DO	Depth Offset for Playback	-4711.0	M
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	-50000.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
PP	Playback Processing	NORMAL	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	5411	M
TDD	Total Depth - Driller	5411.00	M
TDL	Total Depth - Logger	5415.00	M
TWS	Temperature of Connate Water Sample	37.78	DEGC

Format: MSS_Logging Vertical Scale: 1:200 Graphics File Created: 25-Jul-2014 17:31

OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB
BSP	19C0-187		

Input DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_014PUP	FN:21	PRODUCER	25-Jul-2014 16:41	5412.2 M	4663.1 M
---------	--------------------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_017PUP	FN:26	PRODUCER	25-Jul-2014 17:31		
BACKUP	MSS_LDEO_HRLA_LDL_017PUP	FN:27	PRODUCER	25-Jul-2014 17:31		

Calibration and Check Summary

Measurement	Nominal	Master	Before	After	Change	Limit	Units
-------------	---------	--------	--------	-------	--------	-------	-------

High Resolution Laterolog Array - B Wellsite Calibration - HRLT M01
 Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14
 HRLT M0 M1 Voltage Plus 0 N/A 218.0 218.0 0.1765 0.681 UV

HRLT M0-M1 Voltage Plus - 0	0	N/A	-318.6	-318.8	-0.1765	9.681	UV
HRLT M0-M1 Voltage Plus - 1	0	N/A	-328.5	-333.5	-5.048	9.681	UV
HRLT M0-M1 Voltage Plus - 2	0	N/A	-331.3	-334.6	-3.287	9.681	UV
HRLT M0-M1 Voltage Plus - 3	0	N/A	-335.4	-338.0	-2.565	9.681	UV
HRLT M0-M1 Voltage Plus - 4	0	N/A	-325.2	-326.2	-1.009	9.681	UV
HRLT M0-M1 Voltage Plus - 5	0	N/A	-321.7	-322.2	-0.5380	9.681	UV
HRLT M0-M1 Voltage Plus - 6	0	N/A	320.5	324.6	4.078	9.681	UV
HRLT M0-M1 Voltage Plus - 7	0	N/A	-322.7	-322.7	0	9.681	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT M12

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT M1-M2 Voltage Plus - 0	0	N/A	1754	1752	-1.392	53.42	UV
HRLT M1-M2 Voltage Plus - 1	0	N/A	1811	1835	23.48	53.42	UV
HRLT M1-M2 Voltage Plus - 2	0	N/A	1821	1834	13.63	53.42	UV
HRLT M1-M2 Voltage Plus - 3	0	N/A	1842	1852	9.989	53.42	UV
HRLT M1-M2 Voltage Plus - 4	0	N/A	1785	1787	2.206	53.42	UV
HRLT M1-M2 Voltage Plus - 5	0	N/A	1767	1766	-0.2141	53.42	UV
HRLT M1-M2 Voltage Plus - 6	0	N/A	-1776	-1794	-17.86	53.42	UV
HRLT M1-M2 Voltage Plus - 7	0	N/A	1781	1781	0	53.42	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT M23

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT M2-M3 Voltage Plus - 0	0	N/A	1740	1738	-2.445	53.42	UV
HRLT M2-M3 Voltage Plus - 1	0	N/A	1811	1832	21.08	53.42	UV
HRLT M2-M3 Voltage Plus - 2	0	N/A	1820	1833	12.35	53.42	UV
HRLT M2-M3 Voltage Plus - 3	0	N/A	1846	1854	8.723	53.42	UV
HRLT M2-M3 Voltage Plus - 4	0	N/A	1782	1783	0.9452	53.42	UV
HRLT M2-M3 Voltage Plus - 5	0	N/A	1764	1763	-0.9287	53.42	UV
HRLT M2-M3 Voltage Plus - 6	0	N/A	-1765	-1780	-15.48	53.42	UV
HRLT M2-M3 Voltage Plus - 7	0	N/A	1781	1781	0	53.42	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT V34

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT A3-A4 Voltage Plus - 0	0	N/A	68350	68360	5.008	2100	UV
HRLT A3-A4 Voltage Plus - 1	0	N/A	70890	71850	954.6	2100	UV
HRLT A3-A4 Voltage Plus - 2	0	N/A	71590	72170	580.9	2100	UV
HRLT A3-A4 Voltage Plus - 3	0	N/A	72820	73280	454.7	2100	UV
HRLT A3-A4 Voltage Plus - 4	0	N/A	70290	70440	145.7	2100	UV
HRLT A3-A4 Voltage Plus - 5	0	N/A	69610	69660	49.84	2100	UV
HRLT A3-A4 Voltage Plus - 6	0	N/A	-68110	-68840	-722.0	2100	UV
HRLT A3-A4 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT V45

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT A4-A5 Voltage Plus - 0	0	N/A	68630	68640	10.03	2100	UV
HRLT A4-A5 Voltage Plus - 1	0	N/A	71280	72230	950.9	2100	UV
HRLT A4-A5 Voltage Plus - 2	0	N/A	71930	72530	594.0	2100	UV
HRLT A4-A5 Voltage Plus - 3	0	N/A	73150	73630	473.6	2100	UV
HRLT A4-A5 Voltage Plus - 4	0	N/A	70590	70740	146.4	2100	UV
HRLT A4-A5 Voltage Plus - 5	0	N/A	69890	69950	53.08	2100	UV
HRLT A4-A5 Voltage Plus - 6	0	N/A	-68470	-69220	-753.3	2100	UV
HRLT A4-A5 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT V56

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT A5-A6 Voltage Plus - 0	0	N/A	68530	68540	15.68	2100	UV
HRLT A5-A6 Voltage Plus - 1	0	N/A	71010	71950	941.8	2100	UV
HRLT A5-A6 Voltage Plus - 2	0	N/A	71710	72290	581.7	2100	UV
HRLT A5-A6 Voltage Plus - 3	0	N/A	72970	73430	459.2	2100	UV
HRLT A5-A6 Voltage Plus - 4	0	N/A	70440	70590	150.4	2100	UV
HRLT A5-A6 Voltage Plus - 5	0	N/A	69770	69830	61.48	2100	UV
HRLT A5-A6 Voltage Plus - 6	0	N/A	-68200	-68930	-731.6	2100	UV
HRLT A5-A6 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT VTP

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT Torpedo-M0 Voltage - 0	0	N/A	-68200	-68220	-14.38	2100	UV
HRLT Torpedo-M0 Voltage - 1	0	N/A	-71320	-72290	-969.3	2100	UV
HRLT Torpedo-M0 Voltage - 2	0	N/A	-72000	-72610	-611.6	2100	UV
HRLT Torpedo-M0 Voltage - 3	0	N/A	-73260	-73720	-460.8	2100	UV
HRLT Torpedo-M0 Voltage - 4	0	N/A	-70650	-70810	-153.8	2100	UV
HRLT Torpedo-M0 Voltage - 5	0	N/A	-69940	-69980	-45.13	2100	UV
HRLT Torpedo-M0 Voltage - 6	0	N/A	68460	69200	738.8	2100	UV
HRLT Torpedo-M0 Voltage - 7	0	N/A	-70000	-70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT VBD

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT Bridle#9-M0 Voltage - 0	0	N/A	-68200	-68210	-11.98	2100	UV
HRLT Bridle#9-M0 Voltage - 1	0	N/A	-71290	-72260	-969.3	2100	UV
HRLT Bridle#9-M0 Voltage - 2	0	N/A	-71970	-72590	-619.4	2100	UV
HRLT Bridle#9-M0 Voltage - 3	0	N/A	-73230	-73700	-468.7	2100	UV
HRLT Bridle#9-M0 Voltage - 4	0	N/A	-70640	-70790	-154.5	2100	UV

HRLT Bridle#9-M0 Voltage - 5	0	N/A	-69920	-69980	-61.20	2100	UV
HRLT Bridle#9-M0 Voltage - 6	0	N/A	68440	69180	740.5	2100	UV
HRLT Bridle#9-M0 Voltage - 7	0	N/A	-70000	-70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT ISO

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT Source Current Plus - 0	0	N/A	284.4	284.4	0.01572	8.520	UA
HRLT Source Current Plus - 1	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 2	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 3	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 4	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 5	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 6	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 7	0	N/A	281.1	281.1	0	8.520	UA

High Resolution Laterolog Array - B Wellsite Calibration - HRLT MV

Before: 25-Jul-2014 10:35 After: 25-Jul-2014 16:14

HRLT Vertical Voltage PI - 0	0	N/A	-321.4	-321.1	0.3200	9.681	UV
HRLT Vertical Voltage PI - 1	0	N/A	-323.9	-328.1	-4.165	9.681	UV
HRLT Vertical Voltage PI - 2	0	N/A	-325.7	-328.0	-2.305	9.681	UV
HRLT Vertical Voltage PI - 3	0	N/A	-327.8	-329.6	-1.758	9.681	UV
HRLT Vertical Voltage PI - 4	0	N/A	-314.8	-315.2	-0.4297	9.681	UV
HRLT Vertical Voltage PI - 5	0	N/A	-326.4	-326.4	-0.01053	9.681	UV
HRLT Vertical Voltage PI - 6	0	N/A	328.9	332.2	3.289	9.681	UV
HRLT Vertical Voltage PI - 7	0	N/A	-322.7	-322.7	0	9.681	UV

Hostile Litho-Density Sonde Wellsite Calibration - Background Measurement

Master: 16-Jul-2014 4:36 Before: 17-Jul-2014 5:36 After: 17-Jul-2014 5:45

SS Cs Resolution Bkg	9.000	8.061	8.076	7.968	-0.1079	1.800	%
LS Cs Resolution Bkg	9.000	8.137	8.180	8.175	-0.005135	1.800	%
LSW1 Background	100.0	69.74	68.24	70.48	2.248	0.03000	CPS
LSW2 Background	100.0	63.61	64.16	63.74	-0.4206	0.03000	CPS
LSW3 Background	200.0	141.8	137.9	141.1	3.244	0.03000	CPS
LSW4 Background	250.0	172.4	171.0	170.7	-0.2442	0.03000	CPS
LSW5 Background	600.0	395.0	391.5	393.4	1.954	0.03000	CPS
SSW1 Background	100.0	78.54	77.29	78.86	1.570	0.03000	CPS
SSW2 Background	200.0	139.1	138.0	138.2	0.2109	0.03000	CPS
SSW3 Background	500.0	371.9	374.7	371.5	-3.237	0.03000	CPS
SSW4 Background	270.0	195.4	192.7	195.5	2.744	0.03000	CPS
SSW5 Background	200.0	142.5	140.4	142.0	1.542	0.03000	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Aluminum Measurement

Master: 16-Jul-2014 5:05

LSW1 Aluminum	600.0	508.4	N/A	N/A	N/A	N/A	CPS
LSW2 Aluminum	900.0	733.7	N/A	N/A	N/A	N/A	CPS
LSW3 Aluminum	1100	883.4	N/A	N/A	N/A	N/A	CPS
LSW4 Aluminum	580.0	447.4	N/A	N/A	N/A	N/A	CPS
LSW5 Aluminum	570.0	407.5	N/A	N/A	N/A	N/A	CPS
SSW1 Aluminum	2800	2389	N/A	N/A	N/A	N/A	CPS
SSW2 Aluminum	8000	6455	N/A	N/A	N/A	N/A	CPS
SSW3 Aluminum	11600	8951	N/A	N/A	N/A	N/A	CPS
SSW4 Aluminum	5000	3637	N/A	N/A	N/A	N/A	CPS
SSW5 Aluminum	660.0	442.1	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Lithology Measurement

Master: 16-Jul-2014 4:57

LSW1 Iron	400.0	349.8	N/A	N/A	N/A	N/A	CPS
LSW2 Iron	730.0	590.1	N/A	N/A	N/A	N/A	CPS
LSW3 Iron	1000	785.3	N/A	N/A	N/A	N/A	CPS
LSW4 Iron	520.0	408.9	N/A	N/A	N/A	N/A	CPS
LSW5 Iron	470.0	376.5	N/A	N/A	N/A	N/A	CPS
SSW1 Iron	2100	1743	N/A	N/A	N/A	N/A	CPS
SSW2 Iron	6800	5378	N/A	N/A	N/A	N/A	CPS
SSW3 Iron	10800	8163	N/A	N/A	N/A	N/A	CPS
SSW4 Iron	4600	3323	N/A	N/A	N/A	N/A	CPS
SSW5 Iron	580.0	390.1	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Caliper Calibration

Before: 17-Jul-2014 5:38

HLDS Caliper Small Ring	12.00	N/A	15.84	N/A	N/A	N/A	IN
HLDS Caliper Large Ring	15.19	N/A	19.69	N/A	N/A	N/A	IN

Accelerator-Porosity Tool Wellsite Calibration - Detector Background

Master: 16-Jul-2014 2:13 Before: 25-Jul-2014 10:41 After: 25-Jul-2014 16:17

Near Det Bkg Cntrate	30.00	26.61	25.31	24.64	-0.6673	N/A	CPS
Far Det Bkg Cntrate	30.00	29.50	28.75	28.13	-0.6175	N/A	CPS
Array-1 Det Bkg Cntrate	30.00	26.43	27.75	25.53	-2.219	N/A	CPS
Array-2 Det Bkg Cntrate	30.00	26.28	25.33	26.88	1.551	N/A	CPS
Array Therm Det Bkg Cntrate	30.00	26.35	26.69	28.83	2.136	N/A	CPS

Accelerator-Porosity Tool Wellsite Calibration - Calibration Ratios

Master: 16-Jul-2014 2:13

Master: 16-Jul-2014 2:16							
Near/Far Calibration Ratio	0.9250	0.9745	N/A	N/A	N/A	N/A	N/A
Near/Array Calibration Ratio	1.030	1.083	N/A	N/A	N/A	N/A	N/A
Near/Array Cal Ratio Up/Down	1.000	1.014	N/A	N/A	N/A	N/A	N/A
Accelerator-Porosity Tool Wellsite Calibration – Tank Check							
Master: 16-Jul-2014 2:16							
Array-1 Standoff Porosity	11.75	10.47	N/A	N/A	N/A	N/A	PU
Array-2 Standoff Porosity	11.75	10.65	N/A	N/A	N/A	N/A	PU
Average Slowing Down Time	6.000	6.035	N/A	N/A	N/A	N/A	US
Array-1 SDT Ratio Up/Down	1.000	0.9776	N/A	N/A	N/A	N/A	
Array-2 SDT Ratio Up/Down	1.000	0.9742	N/A	N/A	N/A	N/A	
Sigma Formation	27.50	33.77	N/A	N/A	N/A	N/A	CU
Accelerator-Porosity Tool Wellsite Calibration – CCR7 signal boxes							
Master: 16-Jul-2014 1:19							
Near Detector Plateau Setting	1650	1696	N/A	N/A	N/A	N/A	V
Far Detector Plateau Setting	2000	2035	N/A	N/A	N/A	N/A	V
Array Detector Plateau Setting	2000	1940	N/A	N/A	N/A	N/A	V
Hostile Natural Gamma Ray Sonde Wellsite Calibration – Detector 1 Check							
Master: 15-Jul-2014 0:16 Before: 15-Jul-2014 8:28 After: 15-Jul-2014 8:42							
Na 511 Peak Loc	40.00	39.57	39.75	39.77	0.02731	1.000	
Na 511 Peak Res	15.50	15.78	15.47	15.60	0.1276	2.000	%
High Voltage	1150	1197	1198	1197	-0.5396	N/A	V
Na 1785 Peak Loc	142.6	142.4	143.3	142.8	-0.5427	7.000	
Na 1785 Peak Res	8.500	9.334	9.234	8.659	-0.5749	2.000	%
Temperature	15.50	37.42	37.47	37.56	0.09754	N/A	DEGC
Na Count Rate	45.00	10.91	10.93	10.90	-0.02571	8.000	CPS
Hostile Natural Gamma Ray Sonde Wellsite Calibration – Detector 2 Check							
Master: 15-Jul-2014 0:16 Before: 15-Jul-2014 8:28 After: 15-Jul-2014 8:42							
Na 511 Peak Loc	40.00	39.46	39.66	39.81	0.1556	1.000	
Na 511 Peak Res	15.50	16.20	15.73	15.53	-0.2004	2.000	%
High Voltage	1150	1129	1129	1130	1.742	N/A	V
Na 1785 Peak Loc	142.6	141.8	140.1	143.7	3.554	7.000	
Na 1785 Peak Res	8.500	10.06	10.03	8.567	-1.463	2.000	%
Temperature	15.50	38.37	38.33	38.34	0.006504	N/A	DEGC
Na Count Rate	45.00	11.54	11.55	11.30	-0.2470	8.000	CPS
Hostile Natural Gamma Ray Sonde Wellsite Calibration – Ratio Of Detector 1 To Detector 2							
Master: 15-Jul-2014 0:16 Before: 15-Jul-2014 8:28 After: 15-Jul-2014 8:42							
Coincidence Count Rate Ratio	1.000	0.9495	0.9508	0.9685	0.01775	0.05000	
Enhanced DTS Cartridge Wellsite Calibration – EDTC Accelerometer Calibration							
Before: 25-Jul-2014 10:35							
EDTC Z-Axis Acceleration	9.810	N/A	9.756	N/A	N/A	N/A	M/S2
Enhanced DTS Cartridge Wellsite Calibration – Detector Calibration							
Before: 15-Jul-2014 8:25 After: 15-Jul-2014 8:38							
Gamma Ray (Jig – Bkg)	154.0	N/A	154.0	158.6	4.600	14.00	GAPI
Gamma Ray (Calibrated)	164.0	N/A	164.0	168.9	4.899	15.00	GAPI

Accelerator-Porosity Tool – Detector Plateau Settings :							
Near Detector Plateau Setting	1696 V						
Far Detector Plateau Setting	2035 V						
Array Detector Plateau Setting	1940 V						

High Resolution Laterolog Array – B / Equipment Identification		
Primary Equipment:		
HRLT Sonde	HRLS – B	768
Auxiliary Equipment:		
HRLT lower Housing	HRLH – B	968
HRLT Lower Cartridge	HRLC – B	974
HRLT upper Housing	HRUH – B	978
HRLT Upper Cartridge	HRUC – B	764

Hostile Litho-Density Sonde / Equipment Identification		
Primary Equipment:		

Hostile Litho Density Sonde	HLDS - D	45
Hostile Litho Density High Voltage	HLDV - D	45
Gamma Source Radioactive	GSR - Z	8113

Auxiliary Equipment:		
Hostile Litho Density Pad	HLDP - C	45
Hostile Litho Density High Voltage Housi	HEH - H	47

Litho-Density Spectroscopy Cartridge - B / Equipment Identification

Primary Equipment:		
LDSC Cartridge	LDSC - B	521
Auxiliary Equipment:		
LDSC Housing	LDSH - A	319

Accelerator-Porosity Tool / Equipment Identification

Primary Equipment:		
Accelerator-Porosity Sonde	APS - C	212
APS Minitron	MNTR - F	6504
Auxiliary Equipment:		
Accelerator-Porosity Housing	APH - AC	121
APS Calibration Water Tank	SFT - 178	1
APS Aluminum Calibrator Sleeve	SFT - 281	1

Hostile Natural Gamma Ray Cartridge - B / Equipment Identification

Primary Equipment:		
HNGC Cartridge	HNGC - B	300
Auxiliary Equipment:		
HNGC Housing	HNGH - A	115

Hostile Natural Gamma Ray Sonde / Equipment Identification


Primary Equipment:		
HNGS Sonde	HNGS - BA	194
Auxiliary Equipment:		
HNGS Sonde Housing	HNSH - BA	205
Gamma Source Radioactive	GSR - U	616008

Enhanced DTS Cartridge / Equipment Identification

Primary Equipment:		
EDTC Gamma Ray Detector	EDTG - A/B	8305
Enhanced DTS Cartridge	EDTC - B	8317
Auxiliary Equipment:		
EDTC Housing	EDTH - B	8303

Enhanced DTS Cartridge Wellsite Calibration







EDTC Accelerometer Calibration

Phase	EDTC Z-Axis Acceleration M/S2	Value
Before		9.756
	9.610 (Minimum) 9.810 (Nominal) 10.01 (Maximum)	

Before: 25-Jul-2014 10:35

Enhanced DTS Cartridge Wellsite Calibration

Detector Calibration

Phase	Gamma Ray Background GAPI	Value	Phase	Gamma Ray (Jig - Bkg) GAPI	Value	Phase	Gamma Ray (Calibrated) GAPI	Value
Before		6.019	Before		154.0	Before		164.0
After		5.723	After		158.6	After		168.9
	0 (Minimum) 30.00 (Nominal) 120.0 (Maximum)			140.0 (Minimum) 154.0 (Nominal) 168.0 (Maximum)			149.0 (Minimum) 164.0 (Nominal) 179.0 (Maximum)	
Before: 15-Jul-2014 8:25			After: 15-Jul-2014 8:38					

Company: **Lamont Doherty Earth Observatory**

Schlumberger

Well: **Expedition 351, Site U1438F**

Field: **IBM Arc Origins**

Rig: **JOIDES Resolution**

Ocean: **Pacific**

Magnetic Susceptibility Sonde (MSS)
Gamma Ray